



Installation and Setup Guide

Step 1 To install dQuery, insert the dQuery CD into your CD drive. For most Windows installations, the dQuery Setup Program will start automatically. If you received a downloaded version of dQuery instead of a CD, follow the instructions for running the self-extracting zip file before continuing with these instructions.

Step 2 If the dQuery Setup Program does not start automatically within 30 seconds, use the Windows Explorer to navigate to the CD drive where the dQuery CD is inserted, or locate the folder where you downloaded the software. Double-click on the program file, **dqsa-setup.exe**, to start the Setup Program. Once the installer is loaded, you should then see the following:



Step 3 dQuery can be installed in two different configurations:

- **Business User Install** - is optimized for use by a typical business user. It enables access to dQuery's capabilities with friendly dialogs and wizards. Use this option if your enterprise database is centrally located on a corporate computer and someone else in your organization is responsible for setting permissions and security.
- **Developer Install** - is optimized for use by a software developer who may need access to dQuery's internal properties to achieve their objectives. The Developer install includes access to the dQuery Inspector, which is a developer tool. Use this install if you are:
 - Responsible for management of systems and networks, assigning permissions and safeguarding security.
 - Installing dQuery on a single computer with databases located on your local drive or you connect to other computers via a LAN.
- **Other Options** - See **Step 6** below after you have installed dQuery.

Step 4 When prompted for a Serial Number, enter the number sent to you via e-mail.
dQuery comes with several third-party programs, among them Borland Database Engine and Apache Server.

The following settings can either be left at their default or modified to suit your specific needs:


- dQuery files – defaults to **C:\Program Files\dBI\dQuery**
- BDE files – defaults to **C:\Program Files\Common Files\Borland\BDE**

The name of the program folder in the Windows Start Menu defaults to **dQuery**.

Step 5 If you accept the defaults and click Next on each screen of the Installation Wizard, dQuery will be installed for you automatically. No further setup or configuration is needed at this time. You can run the program immediately.

If you have any questions, please contact dataBased Intelligence Customer Service at 888-322-7332, Monday through Friday during business hours (Eastern time zone).

Step 6 **Other Options** - Select this option if you have already installed the product and want to add or configure additional items as shown on the following:



- **Install dQuery/Web Server Components** - Adds components to support running a dQuery/Web program from a web server.
- **Install Apache Web Server** - Install a version of the Apache web server software. Apache can be used to set up a web site for running dQuery/Web applications.
- **Set Up Apache** - Configures Apache for use by dQuery/Web after you have run the **Install Apache Web Server** option.

Congratulations! See the Quick Start Card to become productive with dQuery immediately.