

## How to Install dQuery From A Download

The dQuery installer that you have downloaded is contained in a self extracting zip file.

### *Step 1*

Before running the installer you must extract the installer by running the file you downloaded as follows:

- Click on the Windows Start menu and select Run.
- In the Run dialog, select Browse to open a file selection dialog
- In the File selection dialog, navigate to the disk drive and folder where you downloaded the dQuery installer zip file.
- Select the downloaded file and press the Open button.
- In the Run dialog, click on the OK button to run the file.
- A dialog will display titled something like:  
    WinZip Self-Extractor – dQuery25b1792dQ1234  
and displaying a default path to unzip the dQuery installer.  
If you wish to change the unzip folder, you can do so now.  
When ready, click the Unzip button to start the extraction process.
- When done unzipping, click on OK to close the status window and then click Close to close the WinZip Self-Extractor program.
- Again click on the Windows Start menu and select Run.
- In the Run dialog, select Browse to open a file selection dialog
- In the File selection dialog, navigate to the disk drive and folder where you unzipped the dQuery installer. Then double click on the folder and descend to the folder within where you should see several files including Setup.exe
- Select Setup.exe and click the Open button.
- In the Run dialog, click on the OK button to run Setup.exe

Once the installer has loaded you should see the following:



## ***Step 2***

dQuery can be installed in two different configurations:

- Business User Install
- Developer Install

***Business User Install*** - is optimized for use by a typical business user. It enables access to dQuery's capabilities and substitutes friendly dialogs and wizards for options requiring use of the dQuery Property Inspector or Source Code Editor, which are developer tools. Use this install if your enterprise database is centrally located on a corporate server and someone else in your organization is responsible for setting permissions and security.

***Developer Install*** - is optimized for use by a software developer who may need access to dQuery's internal properties to achieve their objectives. The Developer Install includes access to the dQuery Property Inspector and Source Code Editor which allow a developer to customize the code generated by various dQuery options. Use this install if you are:

- Planning to create dQuery based applications to distribute elsewhere in your company or organization.
- Planning to create dQuery/Web based applications and need to install, manage and configure the dQuery/Web server side components.
- Are responsible for management of the systems and networks that will be hosting dQuery or dQuery/Web applications including security and user setup.
- Installing dQuery on a single computer with databases located on your local drive or you connect to other computers via a LAN. The Developer Install includes components for the dQuery Web Server Side; security, sever and user setups and Apache configuration.

The “Other Options...” button on the dQuery Installer allows you to install the following items:

- The dQuery Runtime engine – Use this when distributing an application created with dQuery to other computers.
- Install dQuery/Web Server Components – Sets up a web server to support running dQuery/Web programs.
- Install Apache Web Server – Installs Apache 1.3 web server software. Apache can be used to setup a web site for running dQuery/Web applications.
- Setup Apache – Configures Apache for use by dQuery/Web after you have run the “Install Apache Web Server” option.

Click on the dQuery install button of your choice and follow the on-screen prompts.

**Step 3** When prompted for a Serial Number please enter the serial number sent to you via E-Mail.

dQuery comes with and installs the Borland Database Engine.

*If you have other applications running that use the Borland Database Engine, the dQuery Setup program will ask you to close them before continuing.*

The following settings can either be left at their default setting or modified to suit your specific needs:

- Location for the dQuery files – defaults to “C:\Program Files\DBI\dQuery”
- Location for the BDE files – defaults to “C:\Program Files\Common Files\Borland\BDE”
- Name of program folder – default to “dQuery”

**Step 4** If you accept the defaults and click Next on each screen of the installation wizard, dQuery will be installed for you automatically. There is no further setup or configuration that needs to be performed at this time. You can run dQuery immediately.

If you have any questions please contact dataBased Intelligence Customer Service at: 888-322-7332 - Monday thru Friday, during business hours.